

° C	0	1	2	3	4	5	6	7	8	9
ELEKTRICKÝ ODPOR CIDLA (v ohmech)										
-40	84,27	84,67	85,06	85,46	85,85	86,25	86,64	87,04	87,43	87,83
-30	88,22	88,62	89,01	89,40	89,80	90,19	90,59	90,98	91,37	91,77
-20	92,16	92,55	92,95	93,34	93,73	94,12	94,52	94,91	95,30	95,69
-10	96,09	96,48	96,87	97,26	97,65	98,04	98,44	98,83	99,22	99,61
0	100,00	100,39	100,78	101,17	101,56	101,95	102,34	102,73	103,12	103,51
10	103,90	104,29	104,68	105,07	105,46	105,85	106,24	106,63	107,02	107,40
20	107,79	108,18	108,57	108,96	109,35	109,73	110,12	110,51	110,90	111,28
30	111,67	112,06	112,45	112,83	113,22	113,61	113,99	114,38	114,78	115,15
40	115,54	115,93	116,31	116,70	117,08	117,47	117,85	118,24	118,62	119,01
50	119,40	119,78	120,16	120,55	120,93	121,32	121,70	122,09	122,47	122,86
60	123,24	123,62	124,01	124,39	124,77	125,16	125,54	125,92	126,31	126,69
70	127,07	127,45	127,84	128,22	128,60	128,98	129,37	129,75	130,13	130,51
80	130,89	131,27	131,66	132,04	132,42	132,80	133,18	133,56	133,94	134,32
90	134,70	135,08	135,46	135,84	136,22	136,60	136,98	137,36	137,74	138,12
100	138,50	138,88	139,26	139,64	140,02	140,39	140,77	141,15	141,53	141,91
110	142,29	142,66	143,04	143,42	143,80	144,17	144,55	144,93	145,31	145,68
120	146,06	146,44	146,81	147,19	147,57	147,94	148,32	148,70	149,07	149,45
130	149,82	150,20	150,57	150,95	151,33	151,70	152,08	152,45	152,83	153,20
140	153,58	153,95	154,32	154,70	155,07	155,45	155,82	156,19	156,57	156,94
150	157,31	157,69	158,06	158,43	158,81	159,18	159,55	159,93	160,30	160,67
160	161,04	161,42	161,79	162,16	162,53	162,90	163,27	163,65	164,02	164,39
170	164,76	165,13	165,50	165,87	166,24	166,61	166,98	167,35	167,72	168,09
180	168,46	168,83	169,20	169,57	169,94	170,31	170,68	171,05	171,42	171,79
190	172,16	172,53	172,90	173,26	173,63	174,00	174,37	174,74	175,10	175,47
200	175,84	176,21	176,57	176,94	177,31	177,68	178,04	178,41	178,78	179,14
210	179,51	179,88	180,24	180,61	180,97	181,34	181,71	182,07	182,44	182,80
220	183,17	183,53	183,90	184,26	184,63	184,99	185,36	185,72	186,09	186,45
230	186,82	187,18	187,54	187,91	188,27	188,63	189,00	189,36	189,72	190,09
240	190,45	190,81	191,18	191,54	191,90	192,26	192,63	192,99	193,35	193,71
250	194,07	194,44	194,80	195,16	195,52	195,88	196,24	196,60	196,96	197,33
260	197,69	198,05	198,41	198,77	199,13	199,49	199,85	200,21	200,57	200,93
270	201,29	201,65	202,01	202,36	202,72	203,08	203,44	203,80	204,16	204,52
280	204,88	205,23	205,59	205,95	206,31	206,67	207,02	207,38	207,74	208,10
290	208,45	208,81	209,17	209,52	209,88	210,24	210,59	210,95	211,31	211,66
300	212,02	212,37	212,73	213,09	213,44	213,80	214,15	214,51	214,86	215,22
310	215,57	215,93	216,28	216,64	216,99	217,35	217,70	218,05	218,41	218,76
320	219,12	219,47	219,82	220,18	220,53	220,88	221,24	221,59	221,94	222,29
330	222,65	223,00	223,35	223,70	224,06	224,41	224,76	225,11	225,46	225,81
340	226,17	226,52	226,87	227,22	227,57	227,92	228,27	228,62	228,97	229,32
350	229,67	230,02	230,37	230,72	231,07	231,42	231,77	232,12	232,47	232,82
360	233,17	233,52	233,87	234,22	234,56	234,91	235,26	235,61	235,96	236,31
370	236,65	237,00	237,35	237,70	238,04	238,39	238,74	239,09	239,43	239,78
380	240,13	240,47	240,82	241,17	241,51	241,86	242,20	242,55	242,90	243,24
390	243,59	243,93	244,28	244,62	244,97	245,31	245,66	246,00	246,35	246,69
400	247,04	247,38	247,73	248,07	248,41	248,76	249,10	249,45	249,79	250,13
410	250,48	250,82	251,16	251,50	251,85	252,19	252,53	252,88	253,22	253,56
420	253,90	254,24	254,59	254,93	255,27	255,61	255,95	256,29	256,64	256,98
430	257,32	257,66	258,00	258,34	258,68	259,02	259,36	259,70	260,04	260,38
440	260,72	261,06	261,40	261,74	262,08	262,42	262,76	263,10	263,43	263,77
450	264,11	264,45	264,79	265,13	265,47	265,80	266,14	266,48	266,82	267,15
460	267,49	267,83	268,17	268,50	268,84	269,18	269,51	269,85	270,19	270,52
470	270,86	271,20	271,53	271,87	272,20	272,54	272,88	273,21	273,55	273,88
480	274,22	274,55	274,89	275,22	275,56	275,89	276,23	276,56	276,89	277,23
490	277,56	277,90	278,23	278,56	278,90	279,23	279,56	279,90	280,23	280,56
500	280,90	281,23	281,56	281,89	282,23	282,56	282,89	283,22	283,55	283,89
510	284,22	284,55	284,88	285,21	285,54	285,87	286,21	286,54	286,87	287,20
520	287,53	287,86	288,19	288,52	288,85	289,18	289,51	289,84	290,17	290,50
530	290,83	291,16	291,49	291,81	292,14	292,47	292,80	293,13	293,46	293,79
540	294,11	294,44	294,77	295,10	295,43	295,75	296,08	296,41	296,74	297,06

° C	0	1	2	3	4	5	6	7	8	9
550	297,39	297,72	298,04	298,37	298,70	299,02	299,35	299,68	300,00	300,33
560	300,65	300,98	301,31	301,63	301,96	302,28	302,61	302,93	303,26	303,58
570	303,91	304,23	304,56	304,88	305,20	305,53	305,85	306,18	306,50	306,82
580	307,15	307,47	307,79	308,12	308,44	308,76	309,09	309,41	309,73	310,05
590	310,38	310,70	311,02	311,34	311,67	311,99	312,31	312,63	312,95	313,27
600	313,59	313,92	314,24	314,56	314,88	315,20	315,52	315,84	316,16	316,48
610	316,80	317,12	317,44	317,76	318,08	318,40	318,72	319,04	319,36	319,68
620	319,99	320,31	320,63	320,95	321,27	321,59	321,91	322,22	322,54	322,86
630	323,18	323,49	323,81	324,13	324,45	324,76	325,08	325,40	325,72	326,03
640	326,35	326,66	326,98	327,30	327,61	327,93	328,25	328,56	328,88	329,19
650	329,51	329,82	330,14	330,45	330,77	331,08	331,40	331,71	332,03	332,34
660	332,66	332,97	333,28	333,60	333,91	334,23	334,54	334,85	335,17	335,48
670	335,79	336,11	336,42	336,73	337,04	337,36	337,67	337,98	338,29	338,61
680	338,92	339,23	339,54	339,85	340,16	340,48	340,79	341,10	341,41	341,72
690	342,03	342,34	342,65	342,96	343,27	343,58	343,89	344,20	344,51	344,82
700	345,13	345,44	345,75	346,06	346,37	346,68	346,99	347,30	347,60	347,91
710	348,22	348,53	348,84	349,15	349,45	349,76	350,07	350,38	350,69	350,99
720	351,30	351,61	351,91	352,22	352,53	352,83	353,14	353,45	353,75	354,06
730	354,37	354,67	354,98	355,28	355,59	355,90	356,20	356,51	356,81	357,12
740	357,42	357,73	358,03	358,34	358,64	358,95	359,25	359,55	359,86	360,16
750	360,47	360,77	361,07	361,38	361,68	361,98	362,29	362,59	362,89	363,19
760	363,50	363,80	364,10	364,40	364,71	365,01	365,31	365,61	365,91	366,22
770	366,52	366,82	367,12	367,42	367,72	368,02	368,32	368,63	368,93	369,23
780	369,53	369,83	370,13	370,43	370,73	371,03	371,33	371,63	371,93	372,22
790	372,52	372,82	373,12	373,42	373,72	374,02	374,32	374,61	374,91	375,21
800	375,51	375,81	376,10	376,40	376,70	377,00	377,29	377,59	377,89	378,19
810	378,48	378,78	379,08	379,37	379,67	379,97	380,26	380,56	380,85	381,15
820	381,45	381,74	382,04	382,33	382,63	382,92	383,22	383,51	383,81	384,10
830	384,40	384,69	384,98	385,28	385,57	385,87	386,16	386,45	386,75	387,04
840	387,34	387,63	387,92	388,21	388,51	388,80	389,09	389,39	389,68	389,97
850	390,26									

PT 500

MINCO RESISTANCE/TEMPERATURE TABLE

PG Platinum: 500 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
290.0	-105.558	340.0	-80.810	390.0	-55.801	440.0	-30.562
291.0	-105.066	341.0	-80.312	391.0	-55.299	441.0	-30.055
292.0	-104.574	342.0	-79.814	392.0	-54.796	442.0	-29.548
293.0	-104.081	343.0	-79.316	393.0	-54.293	443.0	-29.041
294.0	-103.589	344.0	-78.818	394.0	-53.790	444.0	-28.533
295.0	-103.096	345.0	-78.320	395.0	-53.287	445.0	-28.026
296.0	-102.603	346.0	-77.822	396.0	-52.784	446.0	-27.519
297.0	-102.111	347.0	-77.324	397.0	-52.281	447.0	-27.011
298.0	-101.618	348.0	-76.825	398.0	-51.778	448.0	-26.504
299.0	-101.124	349.0	-76.327	399.0	-51.275	449.0	-25.996
300.0	-100.631	350.0	-75.828	400.0	-50.771	450.0	-25.488
301.0	-100.138	351.0	-75.329	401.0	-50.268	451.0	-24.981
302.0	-99.644	352.0	-74.830	402.0	-49.764	452.0	-24.473
303.0	-99.151	353.0	-74.331	403.0	-49.260	453.0	-23.965
304.0	-98.657	354.0	-73.832	404.0	-48.757	454.0	-23.457
305.0	-98.163	355.0	-73.333	405.0	-48.253	455.0	-22.949
306.0	-97.669	356.0	-72.834	406.0	-47.749	456.0	-22.440
307.0	-97.175	357.0	-72.335	407.0	-47.245	457.0	-21.932
308.0	-96.681	358.0	-71.835	408.0	-46.740	458.0	-21.424
309.0	-96.187	359.0	-71.336	409.0	-46.236	459.0	-20.915
310.0	-95.692	360.0	-70.836	410.0	-45.732	460.0	-20.407
311.0	-95.198	361.0	-70.336	411.0	-45.227	461.0	-19.898
312.0	-94.703	362.0	-69.836	412.0	-44.723	462.0	-19.389
313.0	-94.209	363.0	-69.336	413.0	-44.218	463.0	-18.881
314.0	-93.714	364.0	-68.836	414.0	-43.714	464.0	-18.372
315.0	-93.219	365.0	-68.336	415.0	-43.209	465.0	-17.863
316.0	-92.724	366.0	-67.836	416.0	-42.704	466.0	-17.354
317.0	-92.229	367.0	-67.336	417.0	-42.199	467.0	-16.845
318.0	-91.733	368.0	-66.835	418.0	-41.694	468.0	-16.335
319.0	-91.238	369.0	-66.335	419.0	-41.189	469.0	-15.826
320.0	-90.742	370.0	-65.834	420.0	-40.684	470.0	-15.317
321.0	-90.247	371.0	-65.333	421.0	-40.179	471.0	-14.807
322.0	-89.751	372.0	-64.832	422.0	-39.673	472.0	-14.298
323.0	-89.255	373.0	-64.332	423.0	-39.168	473.0	-13.788
324.0	-88.759	374.0	-63.831	424.0	-38.662	474.0	-13.279
325.0	-88.263	375.0	-63.329	425.0	-38.157	475.0	-12.769
326.0	-87.767	376.0	-62.828	426.0	-37.651	476.0	-12.259
327.0	-87.271	377.0	-62.327	427.0	-37.145	477.0	-11.749
328.0	-86.775	378.0	-61.825	428.0	-36.639	478.0	-11.239
329.0	-86.278	379.0	-61.324	429.0	-36.133	479.0	-10.729
330.0	-85.782	380.0	-60.822	430.0	-35.627	480.0	-10.219
331.0	-85.285	381.0	-60.321	431.0	-35.121	481.0	-9.709
332.0	-84.788	382.0	-59.819	432.0	-34.615	482.0	-9.199
333.0	-84.291	383.0	-59.317	433.0	-34.108	483.0	-8.688
334.0	-83.794	384.0	-58.815	434.0	-33.602	484.0	-8.178
335.0	-83.297	385.0	-58.313	435.0	-33.096	485.0	-7.667
336.0	-82.800	386.0	-57.811	436.0	-32.589	486.0	-7.157
337.0	-82.303	387.0	-57.309	437.0	-32.082	487.0	-6.646
338.0	-81.805	388.0	-56.806	438.0	-31.576	488.0	-6.135
339.0	-81.308	389.0	-56.304	439.0	-31.069	489.0	-5.624

MINCO RESISTANCE/TEMPERATURE TABLE

PG Platinum: 500 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
490.0	-5.113	540.0	20.532	590.0	46.374	640.0	72.417
491.0	-4.602	541.0	21.046	591.0	46.892	641.0	72.940
492.0	-4.091	542.0	21.561	592.0	47.411	642.0	73.463
493.0	-3.580	543.0	22.076	593.0	47.930	643.0	73.986
494.0	-3.069	544.0	22.592	594.0	48.450	644.0	74.510
495.0	-2.558	545.0	23.107	595.0	48.969	645.0	75.033
496.0	-2.046	546.0	23.622	596.0	49.488	646.0	75.556
497.0	-1.535	547.0	24.137	597.0	50.007	647.0	76.080
498.0	-1.023	548.0	24.653	598.0	50.527	648.0	76.603
499.0	-0.512	549.0	25.168	599.0	51.046	649.0	77.127
500.0	-0.000	550.0	25.684	600.0	51.566	650.0	77.651
501.0	0.512	551.0	26.200	601.0	52.086	651.0	78.174
502.0	1.024	552.0	26.715	602.0	52.606	652.0	78.698
503.0	1.536	553.0	27.231	603.0	53.125	653.0	79.222
504.0	2.048	554.0	27.747	604.0	53.645	654.0	79.746
505.0	2.560	555.0	28.263	605.0	54.165	655.0	80.270
506.0	3.072	556.0	28.779	606.0	54.685	656.0	80.795
507.0	3.584	557.0	29.296	607.0	55.206	657.0	81.319
508.0	4.096	558.0	29.812	608.0	55.726	658.0	81.843
509.0	4.609	559.0	30.328	609.0	56.246	659.0	82.368
510.0	5.121	560.0	30.844	610.0	56.767	660.0	82.892
511.0	5.634	561.0	31.361	611.0	57.287	661.0	83.417
512.0	6.146	562.0	31.878	612.0	57.808	662.0	83.942
513.0	6.659	563.0	32.394	613.0	58.328	663.0	84.466
514.0	7.172	564.0	32.911	614.0	58.849	664.0	84.991
515.0	7.685	565.0	33.428	615.0	59.370	665.0	85.516
516.0	8.198	566.0	33.945	616.0	59.891	666.0	86.041
517.0	8.711	567.0	34.461	617.0	60.412	667.0	86.566
518.0	9.224	568.0	34.979	618.0	60.933	668.0	87.092
519.0	9.737	569.0	35.496	619.0	61.454	669.0	87.617
520.0	10.250	570.0	36.013	620.0	61.975	670.0	88.142
521.0	10.763	571.0	36.530	621.0	62.497	671.0	88.668
522.0	11.277	572.0	37.047	622.0	63.018	672.0	89.193
523.0	11.790	573.0	37.565	623.0	63.540	673.0	89.719
524.0	12.304	574.0	38.082	624.0	64.061	674.0	90.245
525.0	12.818	575.0	38.600	625.0	64.583	675.0	90.770
526.0	13.331	576.0	39.118	626.0	65.104	676.0	91.296
527.0	13.845	577.0	39.635	627.0	65.626	677.0	91.822
528.0	14.359	578.0	40.153	628.0	66.148	678.0	92.348
529.0	14.873	579.0	40.671	629.0	66.670	679.0	92.874
530.0	15.387	580.0	41.189	630.0	67.192	680.0	93.401
531.0	15.901	581.0	41.707	631.0	67.714	681.0	93.927
532.0	16.415	582.0	42.225	632.0	68.237	682.0	94.453
533.0	16.929	583.0	42.744	633.0	68.759	683.0	94.980
534.0	17.444	584.0	43.262	634.0	69.281	684.0	95.506
535.0	17.958	585.0	43.780	635.0	69.804	685.0	96.033
536.0	18.473	586.0	44.299	636.0	70.326	686.0	96.560
537.0	18.987	587.0	44.817	637.0	70.849	687.0	97.087
538.0	19.502	588.0	45.336	638.0	71.372	688.0	97.613
539.0	20.017	589.0	45.855	639.0	71.894	689.0	98.140

MINCO RESISTANCE/TEMPERATURE TABLE

PG Platinum: 500 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
690.0	98.667	740.0	125.129	790.0	151.807	840.0	178.708
691.0	99.195	741.0	125.661	791.0	152.343	841.0	179.248
692.0	99.722	742.0	126.192	792.0	152.879	842.0	179.788
693.0	100.249	743.0	126.724	793.0	153.415	843.0	180.329
694.0	100.777	744.0	127.255	794.0	153.951	844.0	180.869
695.0	101.304	745.0	127.787	795.0	154.487	845.0	181.410
696.0	101.832	746.0	128.319	796.0	155.024	846.0	181.951
697.0	102.359	747.0	128.851	797.0	155.560	847.0	182.492
698.0	102.887	748.0	129.383	798.0	156.096	848.0	183.033
699.0	103.415	749.0	129.915	799.0	156.633	849.0	183.574
700.0	103.943	750.0	130.447	800.0	157.169	850.0	184.115
701.0	104.471	751.0	130.980	801.0	157.706	851.0	184.656
702.0	104.999	752.0	131.512	802.0	158.243	852.0	185.197
703.0	105.527	753.0	132.044	803.0	158.780	853.0	185.739
704.0	106.055	754.0	132.577	804.0	159.317	854.0	186.280
705.0	106.584	755.0	133.110	805.0	159.854	855.0	186.822
706.0	107.112	756.0	133.642	806.0	160.391	856.0	187.364
707.0	107.640	757.0	134.175	807.0	160.928	857.0	187.905
708.0	108.169	758.0	134.708	808.0	161.466	858.0	188.447
709.0	108.698	759.0	135.241	809.0	162.003	859.0	188.989
710.0	109.226	760.0	135.774	810.0	162.541	860.0	189.531
711.0	109.755	761.0	136.307	811.0	163.078	861.0	190.073
712.0	110.284	762.0	136.841	812.0	163.616	862.0	190.616
713.0	110.813	763.0	137.374	813.0	164.154	863.0	191.158
714.0	111.342	764.0	137.907	814.0	164.691	864.0	191.700
715.0	111.872	765.0	138.441	815.0	165.229	865.0	192.243
716.0	112.401	766.0	138.974	816.0	165.767	866.0	192.785
717.0	112.930	767.0	139.508	817.0	166.306	867.0	193.328
718.0	113.460	768.0	140.042	818.0	166.844	868.0	193.871
719.0	113.989	769.0	140.576	819.0	167.382	869.0	194.414
720.0	114.519	770.0	141.110	820.0	167.921	870.0	194.957
721.0	115.048	771.0	141.644	821.0	168.459	871.0	195.500
722.0	115.578	772.0	142.178	822.0	168.998	872.0	196.043
723.0	116.108	773.0	142.712	823.0	169.536	873.0	196.586
724.0	116.638	774.0	143.246	824.0	170.075	874.0	197.130
725.0	117.168	775.0	143.781	825.0	170.614	875.0	197.673
726.0	117.698	776.0	144.315	826.0	171.153	876.0	198.217
727.0	118.228	777.0	144.850	827.0	171.692	877.0	198.760
728.0	118.759	778.0	145.385	828.0	172.231	878.0	199.304
729.0	119.289	779.0	145.919	829.0	172.770	879.0	199.848
730.0	119.820	780.0	146.454	830.0	173.310	880.0	200.392
731.0	120.350	781.0	146.989	831.0	173.849	881.0	200.936
732.0	120.881	782.0	147.524	832.0	174.388	882.0	201.480
733.0	121.412	783.0	148.059	833.0	174.928	883.0	202.024
734.0	121.942	784.0	148.594	834.0	175.468	884.0	202.568
735.0	122.473	785.0	149.130	835.0	176.008	885.0	203.112
736.0	123.004	786.0	149.665	836.0	176.547	886.0	203.657
737.0	123.535	787.0	150.200	837.0	177.087	887.0	204.202
738.0	124.067	788.0	150.736	838.0	177.627	888.0	204.746
739.0	124.598	789.0	151.272	839.0	178.167	889.0	205.291

MINCO RESISTANCE/TEMPERATURE TABLE

PG Platinum: 500 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
890.0	205.836	940.0	233.197	990.0	260.799	1040.0	288.646
891.0	206.381	941.0	233.747	991.0	261.353	1041.0	289.206
892.0	206.926	942.0	234.297	992.0	261.908	1042.0	289.765
893.0	207.471	943.0	234.847	993.0	262.462	1043.0	290.325
894.0	208.016	944.0	235.397	994.0	263.017	1044.0	290.885
895.0	208.561	945.0	235.947	995.0	263.572	1045.0	291.445
896.0	209.107	946.0	236.497	996.0	264.127	1046.0	292.005
897.0	209.652	947.0	237.047	997.0	264.682	1047.0	292.565
898.0	210.198	948.0	237.597	998.0	265.237	1048.0	293.125
899.0	210.743	949.0	238.148	999.0	265.793	1049.0	293.685
900.0	211.289	950.0	238.698	1000.0	266.348	1050.0	294.246
901.0	211.835	951.0	239.249	1001.0	266.904	1051.0	294.806
902.0	212.381	952.0	239.800	1002.0	267.459	1052.0	295.367
903.0	212.927	953.0	240.350	1003.0	268.015	1053.0	295.928
904.0	213.473	954.0	240.901	1004.0	268.571	1054.0	296.488
905.0	214.019	955.0	241.452	1005.0	269.127	1055.0	297.049
906.0	214.566	956.0	242.003	1006.0	269.683	1056.0	297.610
907.0	215.112	957.0	242.555	1007.0	270.239	1057.0	298.171
908.0	215.659	958.0	243.106	1008.0	270.795	1058.0	298.733
909.0	216.205	959.0	243.657	1009.0	271.351	1059.0	299.294
910.0	216.752	960.0	244.209	1010.0	271.908	1060.0	299.855
911.0	217.299	961.0	244.760	1011.0	272.464	1061.0	300.417
912.0	217.846	962.0	245.312	1012.0	273.021	1062.0	300.979
913.0	218.393	963.0	245.864	1013.0	273.577	1063.0	301.540
914.0	218.940	964.0	246.416	1014.0	274.134	1064.0	302.102
915.0	219.487	965.0	246.968	1015.0	274.691	1065.0	302.664
916.0	220.034	966.0	247.520	1016.0	275.248	1066.0	303.226
917.0	220.582	967.0	248.072	1017.0	275.805	1067.0	303.788
918.0	221.129	968.0	248.624	1018.0	276.362	1068.0	304.351
919.0	221.677	969.0	249.176	1019.0	276.920	1069.0	304.913
920.0	222.224	970.0	249.729	1020.0	277.477	1070.0	305.475
921.0	222.772	971.0	250.281	1021.0	278.035	1071.0	306.038
922.0	223.320	972.0	250.834	1022.0	278.592	1072.0	306.601
923.0	223.868	973.0	251.387	1023.0	279.150	1073.0	307.163
924.0	224.416	974.0	251.940	1024.0	279.708	1074.0	307.726
925.0	224.964	975.0	252.493	1025.0	280.266	1075.0	308.289
926.0	225.512	976.0	253.046	1026.0	280.824	1076.0	308.852
927.0	226.060	977.0	253.599	1027.0	281.382	1077.0	309.416
928.0	226.609	978.0	254.152	1028.0	281.940	1078.0	309.979
929.0	227.157	979.0	254.705	1029.0	282.498	1079.0	310.542
930.0	227.706	980.0	255.259	1030.0	283.057	1080.0	311.106
931.0	228.255	981.0	255.812	1031.0	283.615	1081.0	311.669
932.0	228.804	982.0	256.366	1032.0	284.174	1082.0	312.233
933.0	229.352	983.0	256.920	1033.0	284.732	1083.0	312.797
934.0	229.901	984.0	257.474	1034.0	285.291	1084.0	313.361
935.0	230.450	985.0	258.028	1035.0	285.850	1085.0	313.925
936.0	231.000	986.0	258.582	1036.0	286.409	1086.0	314.489
937.0	231.549	987.0	259.136	1037.0	286.968	1087.0	315.053
938.0	232.098	988.0	259.690	1038.0	287.527	1088.0	315.617
939.0	232.648	989.0	260.244	1039.0	288.087	1089.0	316.182

PT 1000

MINCO RESISTANCE/TEMPERATURE TABLE

PF Platinum: 1000 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
780.0	-55.801	830.0	-43.209	880.0	-30.562	930.0	-17.863
781.0	-55.550	831.0	-42.957	881.0	-30.308	931.0	-17.608
782.0	-55.299	832.0	-42.704	882.0	-30.055	932.0	-17.354
783.0	-55.047	833.0	-42.452	883.0	-29.801	933.0	-17.099
784.0	-54.796	834.0	-42.199	884.0	-29.548	934.0	-16.845
785.0	-54.545	835.0	-41.947	885.0	-29.294	935.0	-16.590
786.0	-54.293	836.0	-41.694	886.0	-29.041	936.0	-16.335
787.0	-54.042	837.0	-41.442	887.0	-28.787	937.0	-16.081
788.0	-53.790	838.0	-41.189	888.0	-28.533	938.0	-15.826
789.0	-53.539	839.0	-40.936	889.0	-28.280	939.0	-15.572
790.0	-53.287	840.0	-40.684	890.0	-28.026	940.0	-15.317
791.0	-53.036	841.0	-40.431	891.0	-27.772	941.0	-15.062
792.0	-52.784	842.0	-40.179	892.0	-27.519	942.0	-14.807
793.0	-52.533	843.0	-39.926	893.0	-27.265	943.0	-14.553
794.0	-52.281	844.0	-39.673	894.0	-27.011	944.0	-14.298
795.0	-52.030	845.0	-39.420	895.0	-26.758	945.0	-14.043
796.0	-51.778	846.0	-39.168	896.0	-26.504	946.0	-13.788
797.0	-51.526	847.0	-38.915	897.0	-26.250	947.0	-13.534
798.0	-51.275	848.0	-38.662	898.0	-25.996	948.0	-13.279
799.0	-51.023	849.0	-38.409	899.0	-25.742	949.0	-13.024
800.0	-50.771	850.0	-38.157	900.0	-25.488	950.0	-12.769
801.0	-50.519	851.0	-37.904	901.0	-25.234	951.0	-12.514
802.0	-50.268	852.0	-37.651	902.0	-24.981	952.0	-12.259
803.0	-50.016	853.0	-37.398	903.0	-24.727	953.0	-12.004
804.0	-49.764	854.0	-37.145	904.0	-24.473	954.0	-11.749
805.0	-49.512	855.0	-36.892	905.0	-24.219	955.0	-11.494
806.0	-49.260	856.0	-36.639	906.0	-23.965	956.0	-11.239
807.0	-49.008	857.0	-36.386	907.0	-23.711	957.0	-10.984
808.0	-48.757	858.0	-36.133	908.0	-23.457	958.0	-10.729
809.0	-48.505	859.0	-35.880	909.0	-23.203	959.0	-10.474
810.0	-48.253	860.0	-35.627	910.0	-22.949	960.0	-10.219
811.0	-48.001	861.0	-35.374	911.0	-22.694	961.0	-9.964
812.0	-47.749	862.0	-35.121	912.0	-22.440	962.0	-9.709
813.0	-47.497	863.0	-34.868	913.0	-22.186	963.0	-9.454
814.0	-47.245	864.0	-34.615	914.0	-21.932	964.0	-9.199
815.0	-46.993	865.0	-34.362	915.0	-21.678	965.0	-8.943
816.0	-46.740	866.0	-34.108	916.0	-21.424	966.0	-8.688
817.0	-46.488	867.0	-33.855	917.0	-21.169	967.0	-8.433
818.0	-46.236	868.0	-33.602	918.0	-20.915	968.0	-8.178
819.0	-45.984	869.0	-33.349	919.0	-20.661	969.0	-7.923
820.0	-45.732	870.0	-33.096	920.0	-20.407	970.0	-7.667
821.0	-45.480	871.0	-32.842	921.0	-20.152	971.0	-7.412
822.0	-45.227	872.0	-32.589	922.0	-19.898	972.0	-7.157
823.0	-44.975	873.0	-32.336	923.0	-19.644	973.0	-6.901
824.0	-44.723	874.0	-32.082	924.0	-19.389	974.0	-6.646
825.0	-44.471	875.0	-31.829	925.0	-19.135	975.0	-6.391
826.0	-44.218	876.0	-31.576	926.0	-18.881	976.0	-6.135
827.0	-43.966	877.0	-31.322	927.0	-18.626	977.0	-5.880
828.0	-43.714	878.0	-31.069	928.0	-18.372	978.0	-5.624
829.0	-43.461	879.0	-30.815	929.0	-18.117	979.0	-5.369

MINCO RESISTANCE/TEMPERATURE TABLE

PF Platinum: 1000 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
980.0	-5.113	1030.0	7.685	1080.0	20.532	1130.0	33.428
981.0	-4.858	1031.0	7.941	1081.0	20.789	1131.0	33.686
982.0	-4.602	1032.0	8.198	1082.0	21.046	1132.0	33.945
983.0	-4.347	1033.0	8.454	1083.0	21.304	1133.0	34.203
984.0	-4.091	1034.0	8.711	1084.0	21.561	1134.0	34.461
985.0	-3.836	1035.0	8.967	1085.0	21.819	1135.0	34.720
986.0	-3.580	1036.0	9.224	1086.0	22.076	1136.0	34.979
987.0	-3.325	1037.0	9.480	1087.0	22.334	1137.0	35.237
988.0	-3.069	1038.0	9.737	1088.0	22.592	1138.0	35.496
989.0	-2.813	1039.0	9.994	1089.0	22.849	1139.0	35.754
990.0	-2.558	1040.0	10.250	1090.0	23.107	1140.0	36.013
991.0	-2.302	1041.0	10.507	1091.0	23.364	1141.0	36.271
992.0	-2.046	1042.0	10.763	1092.0	23.622	1142.0	36.530
993.0	-1.791	1043.0	11.020	1093.0	23.880	1143.0	36.789
994.0	-1.535	1044.0	11.277	1094.0	24.137	1144.0	37.047
995.0	-1.279	1045.0	11.534	1095.0	24.395	1145.0	37.306
996.0	-1.023	1046.0	11.790	1096.0	24.653	1146.0	37.565
997.0	-0.768	1047.0	12.047	1097.0	24.911	1147.0	37.824
998.0	-0.512	1048.0	12.304	1098.0	25.168	1148.0	38.082
999.0	-0.256	1049.0	12.561	1099.0	25.426	1149.0	38.341
1000.0	-0.000	1050.0	12.818	1100.0	25.684	1150.0	38.600
1001.0	0.256	1051.0	13.074	1101.0	25.942	1151.0	38.859
1002.0	0.512	1052.0	13.331	1102.0	26.200	1152.0	39.118
1003.0	0.768	1053.0	13.588	1103.0	26.458	1153.0	39.377
1004.0	1.024	1054.0	13.845	1104.0	26.715	1154.0	39.635
1005.0	1.280	1055.0	14.102	1105.0	26.973	1155.0	39.894
1006.0	1.536	1056.0	14.359	1106.0	27.231	1156.0	40.153
1007.0	1.792	1057.0	14.616	1107.0	27.489	1157.0	40.412
1008.0	2.048	1058.0	14.873	1108.0	27.747	1158.0	40.671
1009.0	2.304	1059.0	15.130	1109.0	28.005	1159.0	40.930
1010.0	2.560	1060.0	15.387	1110.0	28.263	1160.0	41.189
1011.0	2.816	1061.0	15.644	1111.0	28.521	1161.0	41.448
1012.0	3.072	1062.0	15.901	1112.0	28.779	1162.0	41.707
1013.0	3.328	1063.0	16.158	1113.0	29.037	1163.0	41.966
1014.0	3.584	1064.0	16.415	1114.0	29.296	1164.0	42.225
1015.0	3.840	1065.0	16.672	1115.0	29.554	1165.0	42.485
1016.0	4.096	1066.0	16.929	1116.0	29.812	1166.0	42.744
1017.0	4.353	1067.0	17.187	1117.0	30.070	1167.0	43.003
1018.0	4.609	1068.0	17.444	1118.0	30.328	1168.0	43.262
1019.0	4.865	1069.0	17.701	1119.0	30.586	1169.0	43.521
1020.0	5.121	1070.0	17.958	1120.0	30.844	1170.0	43.780
1021.0	5.377	1071.0	18.215	1121.0	31.103	1171.0	44.040
1022.0	5.634	1072.0	18.473	1122.0	31.361	1172.0	44.299
1023.0	5.890	1073.0	18.730	1123.0	31.619	1173.0	44.558
1024.0	6.146	1074.0	18.987	1124.0	31.878	1174.0	44.817
1025.0	6.403	1075.0	19.245	1125.0	32.136	1175.0	45.077
1026.0	6.659	1076.0	19.502	1126.0	32.394	1176.0	45.336
1027.0	6.915	1077.0	19.759	1127.0	32.652	1177.0	45.595
1028.0	7.172	1078.0	20.017	1128.0	32.911	1178.0	45.855
1029.0	7.428	1079.0	20.274	1129.0	33.169	1179.0	46.114

MINCO RESISTANCE/TEMPERATURE TABLE

PF Platinum: 1000 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
1180.0	46.374	1230.0	59.370	1280.0	72.417	1330.0	85.516
1181.0	46.633	1231.0	59.630	1281.0	72.679	1331.0	85.779
1182.0	46.892	1232.0	59.891	1282.0	72.940	1332.0	86.041
1183.0	47.152	1233.0	60.151	1283.0	73.202	1333.0	86.304
1184.0	47.411	1234.0	60.412	1284.0	73.463	1334.0	86.566
1185.0	47.671	1235.0	60.672	1285.0	73.725	1335.0	86.829
1186.0	47.930	1236.0	60.933	1286.0	73.986	1336.0	87.092
1187.0	48.190	1237.0	61.193	1287.0	74.248	1337.0	87.354
1188.0	48.450	1238.0	61.454	1288.0	74.510	1338.0	87.617
1189.0	48.709	1239.0	61.715	1289.0	74.771	1339.0	87.880
1190.0	48.969	1240.0	61.975	1290.0	75.033	1340.0	88.142
1191.0	49.228	1241.0	62.236	1291.0	75.295	1341.0	88.405
1192.0	49.488	1242.0	62.497	1292.0	75.556	1342.0	88.668
1193.0	49.748	1243.0	62.757	1293.0	75.818	1343.0	88.931
1194.0	50.007	1244.0	63.018	1294.0	76.080	1344.0	89.193
1195.0	50.267	1245.0	63.279	1295.0	76.342	1345.0	89.456
1196.0	50.527	1246.0	63.540	1296.0	76.603	1346.0	89.719
1197.0	50.787	1247.0	63.800	1297.0	76.865	1347.0	89.982
1198.0	51.046	1248.0	64.061	1298.0	77.127	1348.0	90.245
1199.0	51.306	1249.0	64.322	1299.0	77.389	1349.0	90.508
1200.0	51.566	1250.0	64.583	1300.0	77.651	1350.0	90.770
1201.0	51.826	1251.0	64.844	1301.0	77.913	1351.0	91.033
1202.0	52.086	1252.0	65.104	1302.0	78.174	1352.0	91.296
1203.0	52.346	1253.0	65.365	1303.0	78.436	1353.0	91.559
1204.0	52.606	1254.0	65.626	1304.0	78.698	1354.0	91.822
1205.0	52.865	1255.0	65.887	1305.0	78.960	1355.0	92.085
1206.0	53.125	1256.0	66.148	1306.0	79.222	1356.0	92.348
1207.0	53.385	1257.0	66.409	1307.0	79.484	1357.0	92.611
1208.0	53.645	1258.0	66.670	1308.0	79.746	1358.0	92.874
1209.0	53.905	1259.0	66.931	1309.0	80.008	1359.0	93.138
1210.0	54.165	1260.0	67.192	1310.0	80.270	1360.0	93.401
1211.0	54.425	1261.0	67.453	1311.0	80.533	1361.0	93.664
1212.0	54.685	1262.0	67.714	1312.0	80.795	1362.0	93.927
1213.0	54.945	1263.0	67.975	1313.0	81.057	1363.0	94.190
1214.0	55.206	1264.0	68.237	1314.0	81.319	1364.0	94.453
1215.0	55.466	1265.0	68.498	1315.0	81.581	1365.0	94.717
1216.0	55.726	1266.0	68.759	1316.0	81.843	1366.0	94.980
1217.0	55.986	1267.0	69.020	1317.0	82.106	1367.0	95.243
1218.0	56.246	1268.0	69.281	1318.0	82.368	1368.0	95.506
1219.0	56.506	1269.0	69.542	1319.0	82.630	1369.0	95.770
1220.0	56.767	1270.0	69.804	1320.0	82.892	1370.0	96.033
1221.0	57.027	1271.0	70.065	1321.0	83.155	1371.0	96.296
1222.0	57.287	1272.0	70.326	1322.0	83.417	1372.0	96.560
1223.0	57.547	1273.0	70.588	1323.0	83.679	1373.0	96.823
1224.0	57.808	1274.0	70.849	1324.0	83.942	1374.0	97.087
1225.0	58.068	1275.0	71.110	1325.0	84.204	1375.0	97.350
1226.0	58.328	1276.0	71.372	1326.0	84.466	1376.0	97.613
1227.0	58.589	1277.0	71.633	1327.0	84.729	1377.0	97.877
1228.0	58.849	1278.0	71.894	1328.0	84.991	1378.0	98.140
1229.0	59.110	1279.0	72.156	1329.0	85.254	1379.0	98.404

MINCO RESISTANCE/TEMPERATURE TABLE

PF Platinum: 1000 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
1380.0	98.667	1430.0	111.872	1480.0	125.129	1530.0	138.441
1381.0	98.931	1431.0	112.136	1481.0	125.395	1531.0	138.708
1382.0	99.195	1432.0	112.401	1482.0	125.661	1532.0	138.974
1383.0	99.458	1433.0	112.665	1483.0	125.926	1533.0	139.241
1384.0	99.722	1434.0	112.930	1484.0	126.192	1534.0	139.508
1385.0	99.985	1435.0	113.195	1485.0	126.458	1535.0	139.775
1386.0	100.249	1436.0	113.460	1486.0	126.724	1536.0	140.042
1387.0	100.513	1437.0	113.724	1487.0	126.989	1537.0	140.309
1388.0	100.777	1438.0	113.989	1488.0	127.255	1538.0	140.576
1389.0	101.040	1439.0	114.254	1489.0	127.521	1539.0	140.843
1390.0	101.304	1440.0	114.519	1490.0	127.787	1540.0	141.110
1391.0	101.568	1441.0	114.784	1491.0	128.053	1541.0	141.377
1392.0	101.832	1442.0	115.048	1492.0	128.319	1542.0	141.644
1393.0	102.095	1443.0	115.313	1493.0	128.585	1543.0	141.911
1394.0	102.359	1444.0	115.578	1494.0	128.851	1544.0	142.178
1395.0	102.623	1445.0	115.843	1495.0	129.117	1545.0	142.445
1396.0	102.887	1446.0	116.108	1496.0	129.383	1546.0	142.712
1397.0	103.151	1447.0	116.373	1497.0	129.649	1547.0	142.979
1398.0	103.415	1448.0	116.638	1498.0	129.915	1548.0	143.246
1399.0	103.679	1449.0	116.903	1499.0	130.181	1549.0	143.514
1400.0	103.943	1450.0	117.168	1500.0	130.447	1550.0	143.781
1401.0	104.207	1451.0	117.433	1501.0	130.713	1551.0	144.048
1402.0	104.471	1452.0	117.698	1502.0	130.980	1552.0	144.315
1403.0	104.735	1453.0	117.963	1503.0	131.246	1553.0	144.583
1404.0	104.999	1454.0	118.228	1504.0	131.512	1554.0	144.850
1405.0	105.263	1455.0	118.494	1505.0	131.778	1555.0	145.117
1406.0	105.527	1456.0	118.759	1506.0	132.044	1556.0	145.385
1407.0	105.791	1457.0	119.024	1507.0	132.311	1557.0	145.652
1408.0	106.055	1458.0	119.289	1508.0	132.577	1558.0	145.919
1409.0	106.319	1459.0	119.554	1509.0	132.843	1559.0	146.187
1410.0	106.584	1460.0	119.820	1510.0	133.110	1560.0	146.454
1411.0	106.848	1461.0	120.085	1511.0	133.376	1561.0	146.722
1412.0	107.112	1462.0	120.350	1512.0	133.642	1562.0	146.989
1413.0	107.376	1463.0	120.615	1513.0	133.909	1563.0	147.257
1414.0	107.640	1464.0	120.881	1514.0	134.175	1564.0	147.524
1415.0	107.905	1465.0	121.146	1515.0	134.442	1565.0	147.792
1416.0	108.169	1466.0	121.412	1516.0	134.708	1566.0	148.059
1417.0	108.433	1467.0	121.677	1517.0	134.975	1567.0	148.327
1418.0	108.698	1468.0	121.942	1518.0	135.241	1568.0	148.594
1419.0	108.962	1469.0	122.208	1519.0	135.508	1569.0	148.862
1420.0	109.226	1470.0	122.473	1520.0	135.774	1570.0	149.130
1421.0	109.491	1471.0	122.739	1521.0	136.041	1571.0	149.397
1422.0	109.755	1472.0	123.004	1522.0	136.307	1572.0	149.665
1423.0	110.020	1473.0	123.270	1523.0	136.574	1573.0	149.933
1424.0	110.284	1474.0	123.535	1524.0	136.841	1574.0	150.200
1425.0	110.549	1475.0	123.801	1525.0	137.107	1575.0	150.468
1426.0	110.813	1476.0	124.067	1526.0	137.374	1576.0	150.736
1427.0	111.078	1477.0	124.332	1527.0	137.641	1577.0	151.004
1428.0	111.342	1478.0	124.598	1528.0	137.907	1578.0	151.272
1429.0	111.607	1479.0	124.863	1529.0	138.174	1579.0	151.540

MINCO RESISTANCE/TEMPERATURE TABLE

PF Platinum: 1000 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
1580.0	151.807	1630.0	165.229	1680.0	178.708	1730.0	192.243
1581.0	152.075	1631.0	165.498	1681.0	178.978	1731.0	192.514
1582.0	152.343	1632.0	165.767	1682.0	179.248	1732.0	192.785
1583.0	152.611	1633.0	166.037	1683.0	179.518	1733.0	193.057
1584.0	152.879	1634.0	166.306	1684.0	179.788	1734.0	193.328
1585.0	153.147	1635.0	166.575	1685.0	180.059	1735.0	193.600
1586.0	153.415	1636.0	166.844	1686.0	180.329	1736.0	193.871
1587.0	153.683	1637.0	167.113	1687.0	180.599	1737.0	194.142
1588.0	153.951	1638.0	167.382	1688.0	180.869	1738.0	194.414
1589.0	154.219	1639.0	167.651	1689.0	181.140	1739.0	194.685
1590.0	154.487	1640.0	167.921	1690.0	181.410	1740.0	194.957
1591.0	154.755	1641.0	168.190	1691.0	181.681	1741.0	195.228
1592.0	155.024	1642.0	168.459	1692.0	181.951	1742.0	195.500
1593.0	155.292	1643.0	168.728	1693.0	182.221	1743.0	195.771
1594.0	155.560	1644.0	168.998	1694.0	182.492	1744.0	196.043
1595.0	155.828	1645.0	169.267	1695.0	182.762	1745.0	196.315
1596.0	156.096	1646.0	169.536	1696.0	183.033	1746.0	196.586
1597.0	156.365	1647.0	169.806	1697.0	183.303	1747.0	196.858
1598.0	156.633	1648.0	170.075	1698.0	183.574	1748.0	197.130
1599.0	156.901	1649.0	170.345	1699.0	183.844	1749.0	197.401
1600.0	157.169	1650.0	170.614	1700.0	184.115	1750.0	197.673
1601.0	157.438	1651.0	170.883	1701.0	184.386	1751.0	197.945
1602.0	157.706	1652.0	171.153	1702.0	184.656	1752.0	198.217
1603.0	157.975	1653.0	171.422	1703.0	184.927	1753.0	198.488
1604.0	158.243	1654.0	171.692	1704.0	185.197	1754.0	198.760
1605.0	158.511	1655.0	171.961	1705.0	185.468	1755.0	199.032
1606.0	158.780	1656.0	172.231	1706.0	185.739	1756.0	199.304
1607.0	159.048	1657.0	172.501	1707.0	186.010	1757.0	199.576
1608.0	159.317	1658.0	172.770	1708.0	186.280	1758.0	199.848
1609.0	159.585	1659.0	173.040	1709.0	186.551	1759.0	200.120
1610.0	159.854	1660.0	173.310	1710.0	186.822	1760.0	200.392
1611.0	160.122	1661.0	173.579	1711.0	187.093	1761.0	200.664
1612.0	160.391	1662.0	173.849	1712.0	187.364	1762.0	200.936
1613.0	160.660	1663.0	174.119	1713.0	187.634	1763.0	201.208
1614.0	160.928	1664.0	174.388	1714.0	187.905	1764.0	201.480
1615.0	161.197	1665.0	174.658	1715.0	188.176	1765.0	201.752
1616.0	161.466	1666.0	174.928	1716.0	188.447	1766.0	202.024
1617.0	161.734	1667.0	175.198	1717.0	188.718	1767.0	202.296
1618.0	162.003	1668.0	175.468	1718.0	188.989	1768.0	202.568
1619.0	162.272	1669.0	175.738	1719.0	189.260	1769.0	202.840
1620.0	162.541	1670.0	176.008	1720.0	189.531	1770.0	203.112
1621.0	162.809	1671.0	176.277	1721.0	189.802	1771.0	203.385
1622.0	163.078	1672.0	176.547	1722.0	190.073	1772.0	203.657
1623.0	163.347	1673.0	176.817	1723.0	190.345	1773.0	203.929
1624.0	163.616	1674.0	177.087	1724.0	190.616	1774.0	204.202
1625.0	163.885	1675.0	177.357	1725.0	190.887	1775.0	204.474
1626.0	164.154	1676.0	177.627	1726.0	191.158	1776.0	204.746
1627.0	164.423	1677.0	177.897	1727.0	191.429	1777.0	205.019
1628.0	164.691	1678.0	178.167	1728.0	191.700	1778.0	205.291
1629.0	164.960	1679.0	178.438	1729.0	191.972	1779.0	205.563

MINCO RESISTANCE/TEMPERATURE TABLE

PF Platinum: 1000 OHM at 0°C 0.00385 OHM/OHM/°C

R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)	R (OHM)	T (°C)
1780.0	205.836	1830.0	219.487	1880.0	233.197	1930.0	246.968
1781.0	206.108	1831.0	219.761	1881.0	233.472	1931.0	247.244
1782.0	206.381	1832.0	220.034	1882.0	233.747	1932.0	247.520
1783.0	206.653	1833.0	220.308	1883.0	234.022	1933.0	247.796
1784.0	206.926	1834.0	220.582	1884.0	234.297	1934.0	248.072
1785.0	207.198	1835.0	220.855	1885.0	234.572	1935.0	248.348
1786.0	207.471	1836.0	221.129	1886.0	234.847	1936.0	248.624
1787.0	207.743	1837.0	221.403	1887.0	235.122	1937.0	248.900
1788.0	208.016	1838.0	221.677	1888.0	235.397	1938.0	249.176
1789.0	208.289	1839.0	221.950	1889.0	235.672	1939.0	249.453
1790.0	208.561	1840.0	222.224	1890.0	235.947	1940.0	249.729
1791.0	208.834	1841.0	222.498	1891.0	236.222	1941.0	250.005
1792.0	209.107	1842.0	222.772	1892.0	236.497	1942.0	250.281
1793.0	209.379	1843.0	223.046	1893.0	236.772	1943.0	250.558
1794.0	209.652	1844.0	223.320	1894.0	237.047	1944.0	250.834
1795.0	209.925	1845.0	223.594	1895.0	237.322	1945.0	251.110
1796.0	210.198	1846.0	223.868	1896.0	237.597	1946.0	251.387
1797.0	210.471	1847.0	224.142	1897.0	237.872	1947.0	251.663
1798.0	210.743	1848.0	224.416	1898.0	238.148	1948.0	251.940
1799.0	211.016	1849.0	224.690	1899.0	238.423	1949.0	252.216
1800.0	211.289	1850.0	224.964	1900.0	238.698	1950.0	252.493
1801.0	211.562	1851.0	225.238	1901.0	238.973	1951.0	252.769
1802.0	211.835	1852.0	225.512	1902.0	239.249	1952.0	253.046
1803.0	212.108	1853.0	225.786	1903.0	239.524	1953.0	253.322
1804.0	212.381	1854.0	226.060	1904.0	239.800	1954.0	253.599
1805.0	212.654	1855.0	226.335	1905.0	240.075	1955.0	253.875
1806.0	212.927	1856.0	226.609	1906.0	240.350	1956.0	254.152
1807.0	213.200	1857.0	226.883	1907.0	240.626	1957.0	254.429
1808.0	213.473	1858.0	227.157	1908.0	240.901	1958.0	254.705
1809.0	213.746	1859.0	227.432	1909.0	241.177	1959.0	254.982
1810.0	214.019	1860.0	227.706	1910.0	241.452	1960.0	255.259
1811.0	214.293	1861.0	227.980	1911.0	241.728	1961.0	255.536
1812.0	214.566	1862.0	228.255	1912.0	242.003	1962.0	255.812
1813.0	214.839	1863.0	228.529	1913.0	242.279	1963.0	256.089
1814.0	215.112	1864.0	228.804	1914.0	242.555	1964.0	256.366
1815.0	215.385	1865.0	229.078	1915.0	242.830	1965.0	256.643
1816.0	215.659	1866.0	229.352	1916.0	243.106	1966.0	256.920
1817.0	215.932	1867.0	229.627	1917.0	243.382	1967.0	257.197
1818.0	216.205	1868.0	229.901	1918.0	243.657	1968.0	257.474
1819.0	216.479	1869.0	230.176	1919.0	243.933	1969.0	257.751
1820.0	216.752	1870.0	230.450	1920.0	244.209	1970.0	258.028
1821.0	217.025	1871.0	230.725	1921.0	244.484	1971.0	258.305
1822.0	217.299	1872.0	231.000	1922.0	244.760	1972.0	258.582
1823.0	217.572	1873.0	231.274	1923.0	245.036	1973.0	258.859
1824.0	217.846	1874.0	231.549	1924.0	245.312	1974.0	259.136
1825.0	218.119	1875.0	231.824	1925.0	245.588	1975.0	259.413
1826.0	218.393	1876.0	232.098	1926.0	245.864	1976.0	259.690
1827.0	218.666	1877.0	232.373	1927.0	246.140	1977.0	259.967
1828.0	218.940	1878.0	232.648	1928.0	246.416	1978.0	260.244
1829.0	219.213	1879.0	232.923	1929.0	246.692	1979.0	260.521